

- [1] S. Tourchi, "On the thermo-hydro-mechanical behaviour of Argillaceous hard soils - weak rocks," *EarthArXiv*, Jan. 2023, doi: doi.org/10.31223/X5507M.
- [2] S. Tourchi, J. Vaunat, A. Gens, F. Bumbieler, M.-N. Vu, and G. Armand, "A full-scale in situ heating test in Callovo-Oxfordian claystone: observations, analysis and interpretation," *Comput. Geotech.*, vol. 133, p. 104045, May 2021, doi: 10.1016/j.compgeo.2021.104045.
- [3] F. Bumbieler *et al.*, "Feasibility of constructing a full-scale radioactive high-level waste disposal cell and characterization of its thermo-hydro-mechanical behavior," *Int. J. Rock Mech. Min. Sci.*, 2020.
- [4] S. Tourchi, "THM analysis of argillaceous rocks with application to nuclear waste underground storage," Doctor of Philosophy, BarcelonaTech (UPC), 2020. doi: 10.13140/RG.2.2.11895.44969.
- [5] S. Tourchi, M. A. Mánica, A. Gens, J. Vaunat, M.-N. Vu, and G. Armand, "A thermomechanical model for argillaceous hard soils–weak rocks: application to THM simulation of deep excavations in claystone," *Géotechnique*, pp. 1–14, Nov. 2023, doi: 10.1680/jgeot.23.00023.
- [6] S. Tourchi, M. Mánica, A. Gens, and J. Vaunat, "Thermo-hydro-mechanical simulation of deep excavations in claystone," in *NUMGE 2023*, London, UK: Imperial College London, 2023.
- [7] S. Olivella, J. Carrera, A. Gens, and E. Alonso, "Nonisothermal Multiphase Flow of Brine and Gas Through Saline Media," *Transp. Porous Media*, vol. 15, no. 3, pp. 271–293, Jun. 1994, doi: 10.1007/BF00613282.