

Infinitary aggregation

E. Pap¹, R. Mesiar², M. Grabisch³, and J. -L. Marichal⁴

¹ University of Novi Sad, Serbia,

² Slovak University of Technology, Slovakia,

³ University of Panthéon-Sorbonne, France,

⁴ University of Luxembourg, Luxembourg,

Abstract. In this paper, based on [12, 18], we present infinitary aggregation functions on sequences possessing some a priori given properties. General infinitary aggregation is also discussed, and the connection with integrals, e.g., Lebesgue, Choquet and Sugeno integrals, is given.

Key words: Infinitary aggregation function, Choquet integral, Sugeno integral.

Aggregation of finitely many inputs, directly related to many applications, were investigated in many fields [1–3, 5, 7, 12, 15, 24, 26]. Aggregation of infinitely but still countably many inputs is important in several mathematical areas, such as discrete probability theory, but also in non-mathematical areas, such as decision problems with an infinite jury, game theory with infinitely many players, etc. Though these theoretical tasks seem to be far from reality, they enable a better understanding of decision problems with extremely huge juries, game theoretical problems with extremely many players, etc., see [20, 22, 25].

In our contribution, based on [12, 18], we discuss infinitary aggregation functions on sequences possessing some a priori given properties, such as additivity, comonotone additivity, symmetry, etc. Based on these properties, infinitary OWA operators are discussed, among others, see [23]. On the other side we discuss infinitary aggregation functions $A^{(\infty)}: [0, 1]^{\mathbb{N}} \rightarrow [0, 1]$ related to a given extended aggregation function $A: \cup_{n \in \mathbb{N}} [0, 1]^n \rightarrow [0, 1]$, where special attention is paid to t-norms, t-conorms, and weighted arithmetic means, where a connection with Toeplitz matrix (see [4, 11]) was obtained. Note that the discussion of the infinitary arithmetic mean $AM^{(\infty)}: [0, 1]^{\mathbb{N}} \rightarrow [0, 1]$ can be found in [13, 14].

General infinitary aggregation is also discussed (see [12, 19]), thus extending the results concerning aggregation of infinite sequences. Note that in such case, some restrictions on the domain of aggregation functions is usually necessary. For example, to apply Lebesgue, Choquet or Sugeno integrals, see [21], one should require the measurability of the input function to be aggregated.

Acknowledgments. Authors would like to thank for the support to the bilateral project between France and Serbia *Pavle Savić* N° 11092SF, and Action SK-SRB-19, the internal research project *Decision Mathematics and Operations*

Research supported by the University of Luxembourg, projects APVV-0375-06, APVV-0012-07, and VEGA 1/4209/07, the grants MNTRS (Serbia, Project 144012), Provincial Secretariat for Science and Technological Development of Vojvodina, and MTA HMTA (Hungary).

References

1. Aczél, J., Dhombres, J.: Functional equations in several variables, *Encyclopedia of Mathematics and its Applications* 31, With applications to mathematics, information theory and to the natural and social sciences, Cambridge University Press, Cambridge, 1989.
2. Alsina, C., Frank, M. J., Schweizer, B.: Associative functions, Triangular norms and copulas, World Scientific Publishing Co. Pte. Ltd., Hackensack, NJ, 2006.
3. Beliakov, G., Pradera, A., Calvo, T.: Aggregation Functions: A Guide for Practitioners, *Studies in Fuziness and Soft Computing*, Springer, Berlin, 2007.
4. Böttcher, A., Silbermann, B.: Analysis of Toeplitz operators, Springer, 1990.
5. Bouchon-Meunier, B. (ed.): Aggregation and fusion of imperfect information, *Studies in Fuzziness and Soft Computing*. 12. Heidelberg: Physica-Verlag, 1998.
6. Bullen, P. S.: Handbook of means and their inequalities, *Mathematics and its Applications* 560, Kluwer Academic Publishers Group, Dordrecht, 2003.
7. Calvo, T. and Mayor, G. and Mesiar, R. (eds.), Aggregation operators, *Studies Fuzziness Soft Computing* 97, Physica, Heidelberg, 2002.
8. Calvo, T., Mesiar, R., Yager, R.R.: Quantitative Weights and Aggregation, *IEEE Trans. Fuzzy Syst.* 12 (2004), 62-69.
9. Calvo, T., Pradera, A.: Double aggregation operators, *Fuzzy Sets and Systems* 142(1) (2004), 15-33.
10. Cutello, V., Montero, J.: Recursive connective rules, *Int. J. Intelligent Systems* 14 (1999), 3-20.
11. Dunford, N., Schwartz, J. T.: *Linear Operators I*. Interscience, New York-London, 1958.
12. Grabisch, M., Marichal, J. -L., Mesiar, R., Pap, E.: Aggregation Functions, Cambridge University Press (in press).
13. González, L., Muel, E., Mesiar, R.: What is the arithmetic mean of an infinite sequence? *Proc. ESTYLF'2002*, Leon, 2002, 183–187.
14. González, L., Muel, E., Mesiar, R.: A remark on the arithmetic mean of an infinite sequence. *Internat. J. Uncertainty, Fuzziness, Knowledge-Based Systems* 10, Suppl. (2002)51–58.
15. Klement, E. P., Mesiar, R., Pap, E.: Triangular norms, *Trends in Logic—Studia Logica Library* 8, Kluwer Academic Publishers, Dordrecht, 2000.
16. Luo, X., Jennings, N. R.: A spectrum of compromise aggregation operators for multi-attribute decision making, *Artificial Intelligence* 171 (2007), 161-184.
17. Marques, P., Ricardo, A., Ribeiro, R. A.: Aggregation with generalized mixture operators using weighting functions, *Fuzzy Sets and Systems* 137 (2003), 43-58.
18. Mesiar, R., Pap, E.: Aggregation of infinite sequences, *Information Sciences* 178(18) (2008), 3557-3564.
19. Mesiar, R., Thiele, H.: On T -quantifiers and S -quantifiers. In: Novák V., Perfilieva I., eds., *Discovering the World with Fuzzy Logic*. Physica-Verlag, Heidelberg, 2000, 310–326.

20. Neyman, A.: Values of games with infinitely many players. In: R.J. Aumann, S. Hart (ed.), 2002. "Handbook of Game Theory with Economic Applications," Handbook of Game Theory with Economic Applications, Elsevier, edition 1, volume 3, number 3, chapter 56, 2121-2167.
21. Pap, E.: Null-Additive Set Functions. Kluwer Academic Publishers, Dordrecht-Boston-London, 1995.
22. Rovatti, R., Fantuzzi, C.: s-norm aggregation of infinite collections. Fuzzy Sets and Systems 84 (1996), 255-269.
23. Stupňanova, A.: Infinitary OWA operators, International Conference 70 Years of FCE STU, December 4-5, 2008, Bratislava, Slovakia.
24. Torra, V., Narukawa, Y.: Modeling decisions: Information Fusion and Aggregation Operators, Cognitive Technologies, Springer, 2007.
25. Vallentyne, P., Kagan, Sh.: Infinite Value and Finitely Additive Value Theory. Journal of Philosophy 94 (1997): 5-26.
26. Yager, R. R.: On ordered weighted averaging aggregation operators in multicriteria decision making. IEEE Trans. Syst., Man, Cybern. 18 (1988) 183-190